

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

the preceding week, this being, however, higher than the rate for the same week of last year, which amounted to only 18.7 per thousand. Of the large towns and cities of Germany more than one-half showed less favorable health conditions than Berlin, including Königsberg, Breslau, Leipzig, Dresden, Halle, Magdeburg, Cologne, Nuremberg, Carlsruhe, Rixdorf, with 28.5. On the other hand, the following cities had a lower death rate than Berlin, viz: Charlottenburg, with 14.2; Schöneberg, with 12.3; Hamburg, Munich, Stuttgart, Frankforton-the-Main, Brunswick, Hanover, as well as London, Paris, and Vienna. The decrease in the number of deaths since the foregoing week was distributed pretty equally among the children in the first year of life and the total among the higher age classes. The infant death rate, amounting to 10.5 per year and thousand in Berlin, was again higher than the Hamburg figure, but lower than the Leipzig rate. Among the various diseases ending in death those of the digestive and respiratory organs showed a considerable decrease. The only important variation in connection with infectious diseases was a considerable increase in the number of cases of enteric fever, the present frequency of which has never been surpassed in any week of the new century. Three hundred and twenty-six infants and 29 adults succumbed to cholerine; phthisis pulmonalis claimed 77 victims. Furthermore, there were registered 41 deaths from diseases of the respiratory organs, 38 deaths from cancer, 14 deaths from measles, 6 deaths from enteric fever, 3 deaths from scarlet fever, 2 deaths from diphtheria. Finally, 19 persons died by violence.

Enteric fever in Posen.

During the period from September 5 to 12 there were registered 21 fresh cases of enteric fever in Posen. The total number of cases registered up to the present amounts to 305.

GUATEMALA.

Reports from Livingston, fruit port—Yellow fever at Zacapa and Gualan.

Acting Assistant Surgeon Peters reports as follows: Week ended September 2, 1905. Present officially estimated population, 3,500; no deaths; prevailing disease, malarial fever; general sanitary condition of this port and the surrounding country during the week, fair. Bills of health were issued to the following-named vessels:

Date.	Vessel.	Destination.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage. disinfected.
Aug. 29 29 31	Olympia. J. H. Masters Utstein		13			

The Olympia cleared from Puerto Barrios. The Utstein took bills of health at Livingston and Puerto Barrios.

Week ended September 9, 1905. Four deaths; prevailing disease, malarial fever; general sanitary condition of this port and the surrounding country during the week, fair. Yellow fever at Zacapa, 102

miles, and Gualan, 80 miles, above Puerto Barrios on the Guatemala Railroad; no fever in Puerto Barrios or Livingston.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Destination.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
Sept. 4 7 7	Myrtledene Belize Nicaragua	Mobile New Orleans	24 18 21			

The Myrtledene cleared for New York.

HONDURAS.

Reports from Ceiba, fruit port.

Acting Assistant Surgeon Robertson reports as follows: Week ended September 11, 1905. Present officially estimated population, about 4,000; 1 death; prevailing diseases, malarial; general sanitary condition of this port and the surrounding country during the week, good. Bills of health were issued to the following-named vessels:

Date.	Vessel.	Destination.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage dis- infected.
Sept. 3 3 7 8 9	Jamaica Jos. Vaccaro Condor Rosina España	Baltimoredo	16 29 17 29 15	0 0 0 0	0 0 0 0	0 0 0 0

The steamship John Wilson arrived here September 9 in ballast from Limon; good sanitary condition and history, clean papers, but was remanded into quarantine of six days by local authorities. Sailed for Mobile August 27, arrived Limon September 2, left Limon September 7.

Week ended September 16, 1905. No deaths; prevailing diseases, malarial, mostly mild type; general sanitary condition of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Destination.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage dis- infected.
Sept. 11	Viator.	Mobile	18	0	0	0
13	Hiram.		16	0	0	9
14	Carib II		7	0	0	0
16	John Wilson.		18	0	0	0

Reports from Puerto Cortez, fruit port—Yellow fever.

Acting Assistant Surgeon Carter reports as follows: Week ended September 1, 1905. Present officially estimated population, 4,000; 1 death; 2 cases of yellow fever; prevailing diseases, yellow fever and